

Press-Fit EN

Stainless Steel Pipe and Tube Support Systems



New Zealand and Australia's Most Comprehensive Range

Certified Strength

Certified Quality

Wholesale Stock levels to keep your project moving.

Our JML Press-Fit EN Support Systems catalogue is designed to cover the size ranges of the Press-Fit EN Brands found in the NZ and Australian market place

JML also covers the European Press-Fit EN market sizes

Jackson Manufacturing Ltd
2/48 Marshall Rd
Katikati 3178
New Zealand
07 579 9611
jacksonmanufacturing@snap.net.nz



Dear Customer,

Welcome to our JML range of Stainless Steel mechanical support systems to fit the European Press-fit piping sizes. Our JML certified Seamless boss technology is the perfect companion to this system designed to be a highly polished seamless hygiene solution in the food and beverage production industry. Certified quality manufactured in New Zealand with market a leading range to meet all your requirements.

A guide to using this catalogue

Our JML support system in 316L is duplicated in 304 through this catalogue.

The clamp sizes quoted are to fit the outside diameter of the desired Piping.

When ordering please add the desired stainless grade next to the product code.



**STAINLESS STEEL PIPE, TUBE, PLUMBING
AND ELECTRICAL SUPPORT SYSTEMS**



SUPPORT SYSTEMS ARE

**A REGISTERED BRAND OF
JACKSON MANUFACTURING**

UNIT 2/48 MARSHALL ROAD

KATIKATI PH. 07 579 9611

FAX 07 579 9615

jacksonmanufacturing@snap.net.nz

PAGE	INDEX
1	316L Grade Bossed Clamp
2	316L Grade Bossed Clamp Rubber Lined
3	316L Grade Double Bossed Clamp
4	316L Grade Double Bossed Clamp Rubber Lined
5	316L Grade Plain Clamp
6	316L Grade Plain Clamp Rubber Lined
7	304L Grade Bossed Clamp
8	304L Grade Bossed Clamp Rubber Lined
9	304L Grade Double Bossed Clamp
10	304L Grade Double Bossed Clamp Rubber Lined
11	304L Grade Plain Clamp
12	304L Grade Plain Clamp
13	304L Backing Plates and Threaded Rod

Press-Fit EN Pipe And Tube Support System

Stainless Steel

316 Grade Bossed Clamp

MADE IN NZ




PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 B	15.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 B	22.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 B	28.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 B	35.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 B	42.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 B	48.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 B	54.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 B	76.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 B	88.9	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 B	108.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 B	108.0	M12	30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 B	168.3	M12	30 x 3.0mm	316L	11.84kN	1206kg	

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System

Stainless Steel

Rubber Lined **316** Grade Bossed Clamp

MADE IN NZ




PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 BRL	15.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 BRL	22.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 BRL	28.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 BRL	35.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 BRL	42.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 BRL	48.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 BRL	54.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 BRL	76.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 BRL	88.9	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 BRL	108.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 BRL	108.0	M12	30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 BRL	168.3	M12	30 x 3.0mm	316L	11.84kN	1206kg	

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System

Stainless Steel

316 Grade Double Bossed Clamp

MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 DB	15.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 DB	22.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 DB	28.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 DB	35.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 DB	42.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 DB	48.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 DB	54.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 DB	76.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 DB	88.9	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 DB	108.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 DB	108.0	M12	30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 DB	168.3	M12	30 x 3.0mm	316L	11.84kN	1206kg	

Support multiple pipes of the same or different size using our double boss pipe clamp. Ideal for confined spaces or in any situation even combine our conduit sizes into this system.

Please see our accessories section for a complete range of threaded rod and backing plates to go with this product range.

The complete assembly must not exceed the working load listed in this catalogue of the first bracket.



The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.



Press-Fit EN Pipe And Tube Support System

Stainless Steel

Rubber Lined **316** Grade

Double Bossed Clamp

MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 DBRL	15.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 DBRL	22.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 DBRL	28.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 DBRL	35.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 DBRL	42.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 DBRL	48.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 DBRL	54.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 DBRL	76.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 DBRL	88.9	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 DBRL	108.0	M10	18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 DBRL	108.0	M12	30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 DBRL	168.3	M12	30 x 3.0mm	316L	11.84kN	1206kg	

Support multiple pipes of the same or different size using our double boss pipe clamp. Ideal for confined spaces or in any situation even combine our conduit sizes into this system.


Please see our accessories section for a complete range of threaded rod and backing plates to go with this product range

The complete assembly must not exceed the working load listed in this catalogue of the first bracket.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System
 Stainless Steel
316 Grade Plain Clamp
 MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 P	15.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 P	22.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 P	28.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 P	35.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 P	42.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 P	48.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 P	54.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 P	76.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 P	88.9		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 P	108.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 P	108.0		30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 P	168.3		30 x 3.0mm	316L	11.84kN	1206kg	


Support single or multiple pipes of the same or different size using our unique link plate system to connect our plain clamp range.

Ideal for confined spaces or in any situation even combine our conduit sizes into this system

Please see our accessories section for our link plate range unique to the market in stainless steel each link plate has the corresponding thickness and width to each clamp. We will be introducing heavy duty linkage plates and different lengths there will be ongoing development of this system including multiple mounting options.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.



Press-Fit EN Pipe And Tube Support System
 Stainless Steel
Rubber Lined 316 Grade Plain Clamp
 MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 PRL	15.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 22.0 PRL	22.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 28.0 PRL	28.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 35.0 PRL	35.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 42.0 PRL	42.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 48.0 PRL	48.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 54.0 PRL	54.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 76.0 PRL	76.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 88.9 PRL	88.9		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 PRL	108.0		18 x 2.0mm	316L	5.6kN	587kg	
SSSC 108 PRL	108.0		30 x 3.0mm	316L	11.84kN	1206kg	
SSSC 168.3 PRL	168.3		30 x 3.0mm	316L	11.84kN	1206kg	


Support single or multiple pipes of the same or different size using our unique link plate system to connect our plan clamp range.

Ideal for confined spaces or in any situation even combine our conduit sizes into this system

Please see our accessories section for our link plate range unique to the market in stainless steel each link plate has the corresponding thickness and width to each clamp. We will be introducing heavy duty linkage plates and different lengths there will be ongoing development of this system including multiple mounting options.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.



Press-Fit EN Pipe And Tube Support System

Stainless Steel

304 Grade Bossed Clamp

MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 B	15.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 B	22.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 B	28.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 B	35.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 B	42.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 B	48.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 B	54.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 B	76.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 B	88.9	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 B	108.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 B	108.0	M12	30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 B	168.3	M12	30 x 3.0mm	304L	11.84kN	1206kg	\$29.96

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System

Stainless Steel

Rubber Lined 304 Grade Bossed Clamp

MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 BRL	15.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 BRL	22.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 BRL	28.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 BRL	35.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 BRL	42.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 BRL	48.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 BRL	54.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 BRL	76.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 BRL	88.9	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 BRL	108.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 BRL	108.0	M12	30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 BRL	168.3	M12	30 x 3.0mm	304L	11.84kN	1206kg	

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System
 Stainless Steel
304 Grade Double Bossed Clamp
 MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 DB	15.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 DB	22.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 DB	28.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 DB	35.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 DB	42.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 DB	48.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 DB	54.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 DB	76.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 DB	88.9	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 DB	108.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 DB	108.0	M12	30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 DB	168.3	M12	30 x 3.0mm	304L	11.84kN	1206kg	

Support multiple pipes of the same or different size using our double boss pipe clamp. Ideal for confined spaces or in any situation even combine our conduit sizes into this system.


Please see our accessories section for a complete range of threaded rod and backing plates to go with this product range.

The complete assembly must not exceed the working load listed in this catalogue of the first bracket.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System

Stainless Steel

Rubber Lined 304 Grade

Double Bossed Clamp

MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 DBRL	15.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 DBRL	22.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 DBRL	28.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 DBRL	35.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 DBRL	42.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 DBRL	48.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 DBRL	54.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 DBRL	76.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 DBRL	88.9	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 DBRL	108.0	M10	18 x 2.0mm	304L	6kN	611kg	
SSSC 108 DBRL	108.0	M12	30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 DBRL	168.3	M12	30 x 3.0mm	304L	11.84kN	1206kg	

Support multiple pipes of the same or different size using our double boss pipe clamp. Ideal for confined spaces or in any situation even combine our conduit sizes into this system.


Please see our accessories section for a complete range of threaded rod and backing plates to go with this product range

The complete assembly must not exceed the working load listed in this catalogue of the first bracket.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.

© COPYRIGHT RICHARD JACKSON 2017



Press-Fit EN Pipe And Tube Support System
 Stainless Steel
304 Grade Plain Clamp
 MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 P	15.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 P	22.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 P	28.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 P	35.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 P	42.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 P	48.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 P	54.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 P	76.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 P	88.9		18 x 2.0mm	304L	6kN	611kg	
SSSC 108 P	108.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 108 P	108.0		30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 P	168.3		30 x 3.0mm	304L	11.84kN	1206kg	

Support single or multiple pipes of the same or different size using our unique link plate system to connect our plain clamp range.

Ideal for confined spaces or in any situation even combine our conduit sizes into this system

Please see our accessories section for our link plate range unique to the market in stainless steel each link plate has the corresponding thickness and width to each clamp. We will be introducing heavy duty linkage plates and different lengths there will be ongoing development of this system including multiple mounting options.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.



Press-Fit EN Pipe And Tube Support System
 Stainless Steel
Rubber Lined 304 Grade Plain Clamp
 MADE IN NZ



PART NUMBER	To fit Outside Diameter mm	THREADED BOSS	WIDTH / THICKNESS mm	STAINLESS STEEL GRADE	WORKING LOAD kN	WORKING LOAD KG	PRICE
SSSC 15.0 PRL	15.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 22.0 PRL	22.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 28.0 PRL	28.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 35.0 PRL	35.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 42.0 PRL	42.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 48.0 PRL	48.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 54.0 PRL	54.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 76.0 PRL	76.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 88.9 PRL	88.9		18 x 2.0mm	304L	6kN	611kg	
SSSC 108 PRL	108.0		18 x 2.0mm	304L	6kN	611kg	
SSSC 108 PRL	108.0		30 x 3.0mm	304L	11.84kN	1206kg	
SSSC 168.3 PRL	168.3		30 x 3.0mm	304L	11.84kN	1206kg	

Support single or multiple pipes of the same or different size using our unique link plate system to connect our plan clamp range.

Ideal for confined spaces or in any situation even combine our conduit sizes into this system

Please see our accessories section for our link plate range unique to the market in stainless steel each link plate has the corresponding thickness and width to each clamp. We will be introducing heavy duty linkage plates and different lengths there will be ongoing development of this system including multiple mounting options.

The sizes listed in this catalogue are to fit the Outside Diameter of each category of pipe and tube.

A SAFETY FACTOR OF 2.5 IS INCLUDED IN THE WORKING LOAD.



JML Press-Fit EN
Support Systems Accessories
Stainless Steel
304 & 316 Grade



PRODUCT CODE	THREADED BOSS	STAINLESS STEEL GRADE	DECRPTION WIDTH / THICKNESS	PRICE
SSBP M10-304L	M10	304L	18 x 2.0mm	
SSBP M10-316L	M10	316L	18 x 2.0mm	



STAINLESS STEEL BACKING PLATES
M12 HEAVY DUTY
MADE IN NZ

PRODUCT CODE	THREADED BOSS	STAINLESS STEEL GRADE	DECRPTION WIDTH / THICKNESS	PRICE
SSBP M12-304L	M12	304L	30 x 3mm	
SSBP M12-316L	M12	316L	30 x 3mm	
			STANDARD FIX	
			STANDARD FIX	

STAINLESS STEEL
THREADED ROD
304 & 316 Grade



PRODUCT CODE	THREADED BOSS	STAINLESS STEEL GRADE	ROD LENGTH	PRICE
TR101 304	M10	304L	1 MTR	
TR101 316	M10	316L	1 MTR	
TR121 304	M12	304L	1 MTR	
TR121 316	M12	316L	1 MTR	